

Atos Phones

The ergonomically designed, user-friendly and economical devices of the Atos Desk Phone family are equipped with a wide variety of functions. They can be easily and conveniently operated, without having to make any compromises in the crystal- clear HD audio quality or performance.



CP Phones CP TDM Phones TDM Phones Wireless Phones **CP Phones**





The ideal device for entry level, low- cost scenarios without compromise in quality.

- 3 freely programmable function keys with Soft Label on LCD
- Pre-assignment: call log, forwarding, redialing
- 2 fixed function keys: settings, messages
- 3-way navigator plus OK key
- 2 audio function keys (mute/loud- speaker)
- Volume +/-
- Open listening/hands free speaking (full duplex
- Integrated Wall mounting in the base



OpenScape Desk Phone CP200/CP205



Outstanding voice quality, an extensive scope of features and a two-line display make this device the ideal choice for users with UC/CTI support.

- Graphical two-line display (192 x 48 pixels), monochrome
- Signaling LED (red/green/orange)
- 4 freely programmable function keys with an LED (red/green/orange) Pre-assignment: call log, contacts, forwarding, redialing
- 5 fixed function keys, 3 with LED (red or green):
- 4-way navigator plus OK key
- 3 audio function keys (mute/ loudspeaker/headset) with LED
- Volume +/-
- Wall-mounting





The larger display and individual options for customization make this telephone the ideal solution for office workplaces and teams.

- Pivotable graphical display, 7" (240 x 120 pixels), monochrome
- Signaling LED (red/green/orange)
- 4 context-sensitive softkeys with LED (red/green/orange)
- 2 fixed function keys (menu/absence)
- 16 freely programmable function keys with LED (red/green/orange)
- 3 audio function keys (mute/ loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking (full duplex)
- Headset interface (DHSG/EHS)
- Base, two different placement angles

OpenScape Desk Phone CP600/600E

This device was developed for demanding users and provides crystal- clear HD voice quality, a brilliant colour display and a broad range of functions.

Evotec Infobrief | 1300 133 996 | www.evotec.com.au



- Pivotable graphic color display, 3" (480 x 272 pixels)
- CP600: colour, CP600E greyscale
- LED backlighting (white)
- Signaling LED (red/green/orange)
- 5 context-sensitive softkeys with LED (red/green/orange)
- 2 fixed function keys (menu/absence)
- 4-way navigator plus OK key
- 3 audio function keys (mute/ loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking (full duplex)

Connection options CP600E/CP600:

- Headset interface (DHSG/EHS) CP600 only:
- Bluetooth 2.1 BR/EDR
- Bluetooth 4.1 LE
- NFC
- Slot for SD card

OpenScape Desk Phone CP700/700X







This comprehensive desktop device with extended interoperability, easy to read extra-large display and elegant user interface is a powerhouse phone that brings more than just voice communication to the desktop. The 700X is the first Wi-Fi enabled phone with a large screen and brings more than just voice communication to the desktop.

- Pivotable graphic colour display
- LED backlighting
- Signalling LED, 6 permanent free programmable keys with LED
- 6 context sensitive softkeys with LED
- 7 fixed function keys
- 3 audio function keys (mute/loudspeaker/headset) with LED
- Dull duplex (Openlistening/hands free speaking)
- Headset interface (DHSG/EHS)
- 10/100/1000 Base-T Ethernet Switch
- 802.3af Power over Ethernet, class 2
- Bluetooth 2.1 and Bluetooth 5.0 LE

700X Difference

• Wi-Fi imbedded in the desk phone

CP TDM Phones







Outstanding voice quality, an extensive scope of features and a two-line display make this device the ideal choice for users with CTI support.

- Graphical two-line display (192 x 48 pixels), monochrome
- Signalling LED (red/green/orange)
- 4 freely programmable function keys with a LED (green)
- Pre-assignment: call log, contacts, forwarding, redialling
- 5 fixed function keys, 3 with LED (red or green): hold, transfer, conference calling settings, messages
- 4-way navigator plus OK key
- 3 audio function keys (mute/loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking
- Headset interface (DHSG/EHS)
- Base, two different placement angles





(// evotec InfoBrief

The larger display and individual options for customization make this telephone the ideal solution for office workplaces and teams.

- Pivotable graphical display, 3.7" (240 x 120 pixels), monochrome
- LED backlighting (white)
- Signalling LED (red/green/orange)
- 4 context-sensitive softkeys with LED (green)
- 2 fixed function keys (Service menu/forwarding)
- 16 freely programmable function keys with LED (green)
- 4-way navigator plus OK key
- 3 audio function keys (mute/ loudspeaker/headset) with LED
- Volume +/-
- Open listening/hands-free speaking (full duplex)
- Headset interface (DHSG/EHS)
- USB Slave interface (1st Party CTI)
- Base, two different placement angles

TDM Phones

OpenStage 10T



High quality audio ideal for mass deployments in TDMenvironments

- 12 button Dialpad
- Speaker key with LED
- 3 free programmable keys with LEDs
- Plus/minus keys

OpenStage 15T



OpenStage 15 offers exceptional performance in an affordable, easy to use device for a wide variety of users

- Two-line monochrome graphical display
- 12 key dial pad and 8 free programmable keys





- Speaker, messages and menu key
- Full-duplex hands-free talking
- Optional key module

OpenStage 30T



Vast array of configurable keys and expansion modules for outbound calling specialists.

- Two-line monochrome graphical display
- 8 programmable feature keys
- 8 fixed feature keys
- Speaker, messages, and menu key
- Full-duplex hands-free talking plus headset jack
- Wall mountable

OpenStage 40T



Customizable for various workplace needs. An ideal solution for teams, desk sharing or contact centers.

- Tiltable graphical display
- 6 lines monochrome backlit
- Optical call alert
- 8 fixed function keys and 6 free programmable keys
- 5-way navigator
- Headset jack
- USB slave



OpenStage 60T



Vivid LCD display, with rich features and apps for power users and managers.

- Tiltable 5.7" colour backlit display
- 12 button Dialpad
- Status LED and message waiting indicator
- 8 free programmable keys with LEDs
- 12 fixed feature buttons
- Bluetooth V2.1
- USB master and slave
- Headset jack

Wireless Phones



OpenScape DECT Phone SL5





DECT

The OpenScape DECT Phone SL5 boats the largest screen with our slimmest and smallest cordless handset, all without compromising high end functionality, security, aesthetics, or design.

- Up to 12 hours talking time
- Up to 250 hours standby time
- Full-duplex hands-free talking
- Telephone directory: Up to 500 entries and names for all directories
- Vibration alarm
- 4" illuminated graphical 65L colour display, 240*320-pixel resolution
- Illuminated keypad
- HPS for locating mobile users
- Bluetooth, wired headset and PC connectivity
- Telephone directory administration via PC
- 27 display languages



OpenScape DECT Phone S5





DECT

The OpenScape DECT Phone S5 is a cordless phone equally suitable for use at the desktop or on the move throughout the workplace

- Up to 12 hours talking time
- Up to 165 hours standby time
- Full-duplex hands-free talking
- Superior audio quality in noisy environments
- Vibration alarm
- HPS for locating mobile users
- Phone book for up to 500 entries
- Illuminated graphical TFT display, 65k colour, 128*160-pixel resolution
- Mono/polyphone ringtones
- Resistant handset surface against a variety of liquids
- Easy battery replacement via separate battery compartment
- Bluetooth, wired headset and PC connectivity
- PC software for phone administration



OpenStage M3 Family





DECT

OpenStage M3 is an industry leading, multipurpose cordless phone family for use with DECT networks, specially designed for mobile employees working in tough industrial environments

All OpenStage M3 phones are characterized by:

- IP65-certified housing, i.e. protection against water and dust
- Shock and break proof
- Modern, best in class user interface
- Bluetooth interface
- Excellent sound quality in support of noisy environments
- Standard connector for headsets
- Up to 17 hours talk time and up to 200 hours standby time

The OpenStage M3 family includes.

- OpenStage M3 a robust cordless phone with advanced alarming, ideal for personal security mainly used for the protection of lone workers or staff working in hazardous areas or situations
- OpenStage M3 Ex a robust cordless phone for potentially explosive atmosphere with standard alarming
- OpenStage M3 Plus Ex a robust cordless phone or potentially explosive atmospheres that includes numerous personal alarm signaling options.



OpenStage WL4 Family





IP / WLAN

The OpenScape WLAN Phone WL4 telephones are an advance variant of telephones for mobile workplaces that use WLAN technology for transmission. These telephones can be deployed in environments with the appropriate SIP platforms and use WLAN infrastructure which supports the dominant infrastructure standards IEEE 802.11a/b/g/n/ac. The OpenScape WLAN Phone WL4 supports now not only wireless telephony, but also messaging and alarming as options.

Common features across the family include:

- Comprehensive user interface with easy feature access
- Powerful local phone features including feature rich directory, missed calls list, LDAP access
- Integrated IP interfaces to HiPath/OpenStage systems
- Supported networks
- Enclosure protection: IP44

The OpenScape WLAN Phone WL4 family consists of: the handsets: OpenScape WLAN Phone WL4 and OpenScape WLAN Phone WL4 Plus the tools: Portable Device Manager (PDM) and Wireless Service Gateway (WSG) different chargers and accessories Communication with the platforms is enabled through SIP.

About us

With a portfolio unequalled in its breath and flexibility, over 30 years' experience and three national offices, Evotec are committed to designing, implementing and supporting innovative technology solutions based on the unique requirements of your business.

Contact Us

- 1300 133 996
- info@evotec.com.au
- service@evotec.com.au
- 02 9565 7233

Our offer

- National Customer Service access
- Certified Engineers and Field techs
- Post Sales Service
- Fully Managed Accounts